

- A1
concl'd
- ([a]b) associating a barcode with the element, said barcode comprising a bar pattern representative of [an] the predetermined identifying name of the element;
- ([b]c) scanning the barcode with [the] a barcode scanner associated with the video camera system thereby generating an electrical signal in response to scanning the [barcode] bar pattern; [and,]
- ([c]d) interpreting the electrical signal [according] to [the program steps to associate] identify the element to the video camera system; [the identifying name of the element scanned from the bar pattern with an appropriate data field provided on the memory module.]
- (e) recalling the identifying name of the element from the memory module in response to the element being identified to the video camera system;
- (f) displaying the identifying name of the element on a display device associated with the video camera system;
- (g) capturing the video image of the element with the video camera system; and,
- (h) storing the video image of the element in the memory module with the identifying name of the element associated therewith.

A2
Sub C2

16. (Amended) The method according to claim 14 wherein the step of storing the predetermined identifying name of the element and the other data relating to the element in a memory module, further comprising the steps of:

- (a) establishing an element record comprising a plurality of digital data fields for storing digital data associated with the element on the memory module [for storing digital data associated with the element];

A2
concl'd

- (b) storing the identifying name of the element in one of the plurality of data fields of the element record; and,
 - (c) associating the identifying name of the element with all of the other of the plurality of digital data fields included in the element record.
-

A3

18. (Amended) The method according to claim [15] 40 further comprising the steps of:

- (a) [retrieving the image data field and the identifying name of the element] recalling the other data associated with the element from the memory module; and,
- (b) displaying the [video image of the element and the identifying name of the element] other data on [a] the video display device associated with the video camera system.

sub
C3

19. (Amended) The method of claim [17] 14 further comprising the steps of:

- (a) determining [a plurality of] parameters relating to the [step of capturing the video] conditions under which the video image of the element was recorded; and,
 - (b) storing the [plurality of] parameters in [the plurality of] data fields established on the memory module [and associated] with the identifying name of the element associated therewith.
-

- A4
Sub C4
22. (Amended) The method according to claim [21] 38 wherein the removable memory module comprises a PCMCIA card installed in a PCMCIA slot of the video camera system.

- A5
Sub C5
28. (Amended) A method for performing a videographic survey of a plurality of survey elements comprising the steps:
- (a) preparing a videographic survey database on a base computer operating a database program for storing and organizing data, the videographic survey database including a separate element record for each of the survey elements with each separate element record comprising an identifying name data field for storing an identifying name of the survey element and a plurality of other data fields associated with the identifying name data field for storing other data associated with [each of] the [plurality of] survey element[s], the [database including one] other data fields including data fields for storing any one of, a video image, an audio data file, a text data file and a graphics data file [for storing an identifying name for each of the plurality of elements and a data field for storing a video image of each of the plurality of elements, the data fields for storing the identifying name each being associated with an appropriate data field for storing a video image of each elements of the survey];
 - (b) transferring the [data fields] separate element record for each element of the survey from the base computer to a memory module associated with a video camera system;
 - (c) associating a barcode [plurality of barcodes, one barcode with each of the plurality of elements, each of the plurality of barcodes], including a bar pattern

A5
Concl'd

representative of the identifying name of the element, [associated] with [the barcode] each of the survey elements;

- (d) selecting one of the survey elements of the videographic survey for recording a video image thereof;
- ([d]e) scanning [a first of the plurality of] the barcode[s] associated with the selected one of the survey element with a barcode scanner [in communication] associated with the video camera system to determine the identifying name of the selected element [associated with the first barcode; and,] thereby identifying the selected element to the video camera system;
- ([e]f) recalling the element record associated with the selected element from the memory module [selecting the appropriate data field of the database for storing a video image of the element associated with the first barcode];
- (g) capturing a video image of the selected element with the video camera system;
- (h) converting the video image to a digital video image within the video camera system; and,
- (i) storing the digital video image in an appropriate data field of the element record.

Ab
Sub C6

35. (Amended) The method according to claim 28 wherein the step of preparing a videographic survey database further comprises the steps of:

- (a) converting the identifying name [for each] of the [plurality] of element[s] to a barcode pattern using program steps stored on the base computer; and,

- A6
cont.
- (b) printing [a] the barcode pattern representing the identifying name of the element[s] onto a [plurality of] barcode label[s] using a [barcode label] printer associated with the base computer.

36. (Amended) A videographic survey system for capturing an image of a plurality of survey elements comprising:

- (a) a base computer for preparing a videographic survey database;
- (b) a database program operating on the base computer for creating a separate element record for each survey element with each separate element record comprising an identifying name data field for storing an identifying name of the survey element therein and a plurality of other data fields associated with the identifying name data field for storing other data associated with the survey element [data fields for storing a video image of each of a plurality of elements of the videographic survey and data fields for storing an identifying name of each of the plurality of elements];
- (c) a video camera system for capturing a video image of a selected survey element;
- [(b) d] means for transferring the [data fields of the database] separate element record for each survey element from the base computer to a memory module associated with [a] the video camera system;
- [(c) e] a plurality of barcode[s] labels associated one with each of the plurality of survey elements of the videographic survey, each barcode label including a bar pattern representative of the identifying name of the survey element associated therewith [the barcode];

AB
concl'd

~~((d) f) a barcode scanner associated with the video camera system for scanning [a first of the plurality of barcodes] the barcode label associated with the selected survey element to [determine the identifying name of the] identify the selected survey element to the video camera system [associated with the first barcode]; and,~~

~~((e) g) [program steps stored on the memory module and executable by] a digital data processor associated with the video camera system [for selecting an appropriate data field of the database] for storing [a] the video image of the selected survey element onto the memory module with the identifying name of the selected survey element associated therewith [the first barcode said appropriate data field having the identifying name which substantially matches the first barcode associated therewith].~~

37. (Amended) The videographic survey system of claim 36 further comprising:

- (a) barcode converting program steps stored on the base computer for converting each of the [plurality of] element identifying names to a [plurality of] bar pattern[s] representing the element identifying name; and,
 - (b) a [barcode label] printer associated with the base computer for printing the [plurality of] barcode labels for associating with the survey elements.
-

PLEASE ADD THE FOLLOWING NEW CLAIMS

A7
Sub C1

38. (NEW) The method according to claim 14 wherein the video camera system includes a removable memory module which installs into a memory module port for communicating with the video camera system further comprising the step of:

storing the video image of the element onto the removable memory module for removal of the video image of the element from the video camera system.

39. (NEW) The method according to claim 14 wherein the element comprises a plurality of elements and wherein each of the plurality of elements has a predetermined identifying name and a barcode comprising a bar pattern representative of the predetermined identifying name associated therewith; and further wherein, the step of storing the predetermined identifying name of the element and the other data relating to the element in the memory module is repeated for each of the plurality of elements, further comprising the steps of;

- (a) selecting any one of the plurality of elements in any order; and,
- (b) repeating steps c - h of claim 14 until a video image of up to all of the plurality of elements is stored on the memory module.

40. (NEW) The method according to claim 14 further comprising the step of:

displaying the video image of the element simultaneously with displaying the identifying name of the element on the display device associated with the video camera system.

A7
cont.

41. (NEW) The method according to claim 28 wherein the step of transferring the separate element record for each element of the survey from the base computer to a memory module associated with a video camera system further comprises the steps of one of:
- (a) connecting the video camera system with the base computer by an interface cable and transferring the element record from the base computer to the memory module associated with the video camera system via the interface cable; and,
 - (b) removing a removable memory module from the video camera system and installing the removable memory module into a memory port provided on the base computer for transferring the element record from the base computer to the removable memory module and thereafter returning the removable memory module to the video camera system.
- 42 (NEW) The videographic survey system according to claim 36 wherein said means for transferring separate element records to the memory module associated with the video camera system comprises one of:
- (a) an interface cable connected between the base computer and the video camera system for transferring the element records from the base computer to the memory module associated with the video camera system via the interface cable; and,
 - (b) a removable memory module which is movable between the video camera system and a memory port associated with the base computer for interfacing with the removable memory module for transferring the element records from

the base computer to the removable memory module and thereafter returning the removable memory module to the video camera system.

A7
CONT.

43. (NEW) The videographic system according to claim 42 wherein the removable memory module comprises a PCMCIA card.

44. (NEW) An integrated video camera system for capturing a video image of a selected videographic survey element having a unique identifying name comprising;

- (a) a video image capturing system for capturing the video image of the selected element,
- (b) a digital data processor for controlling the video image capturing system;
- (c) an analog to digital conversion module for converting the analog video image to a digital video image;
- (d) a camera memory module in communication with the digital data processor for storing the unique identifying name of the selected element as well as for providing memory space for storing other data associated with the selected element in data fields, said other data having the identifying name of the selected element associated therewith;
- (e) a barcode scanner, in communication with the digital data processor for generating an electrical signal in response to scanning a barcode label associated with the selected element, said barcode label having a bar pattern representing the unique identifying name printed thereon;

- A7
Cont.
- (f) a first set of program steps stored on the camera memory module and executable by the digital data processor for interpreting the electrical signal generated by the barcode scanner and for recalling data fields associated with the selected element from the camera memory module; and,
 - (g) a display device associated with the video camera system and driven by the data processor for displaying the identifying name of the selected element in response to interpreting the electrical signal generated by the barcode scanner.

45 (NEW) An integrated video camera system according to claim 44, further comprising a camera body for housing the video image capturing system, the analog to digital conversion device, the digital data processor, the camera memory module and the display device therein.

46 (NEW) An integrated video camera system according to claim 45 further comprising a data entry device housed within the camera body and in communication with the digital data processor for providing an operator interface to the video camera system for selecting various modes of operation of the video camera system by the operator.

47. (NEW) An integrated video camera system according to claim 45 wherein the display device is viewable by an operator through an viewfinder eyepiece connected to the camera body.

A7
Cont.

48 (NEW) An integrated video camera system according to claim 44 wherein the camera memory module comprises two separate memory modules and wherein a first of the two memory modules remains within the camera body and wherein a second of the two memory modules is removable from the camera body for transferring video image captured by the camera system to another device.

49. (NEW) An integrated video camera system according to claim 44 further comprising a second set of program steps stored on the camera memory module and executable by the digital data processor for storing a video image of the element onto the camera memory module with the element name associated therewith.

50 (NEW) An integrated video camera system according to claim 44 wherein the video image capturing system comprises an infrared sensor assembly for providing an electrical signal in response to receiving thermal radiation emitted by the selected element.

51. (NEW) A system for conducting a videographic survey which requires capturing a video image of each a plurality of survey elements and wherein each survey element has a unique identifying name associated therewith comprising:

- (a) a base computer for operating a master database program used for storing and organizing data relating to each of the survey elements;
- (b) a separate element record of the master database program for each of the survey elements, the separate element record comprising an identifying name data field

A-1
cont.

and a plurality of other data fields associated with the identifying name data field, said plurality of other data fields including data fields for storing any one of a video image, an audio data file, a text data file and a graphics data file;

- (c) a video camera system for capturing the video image of each of the plurality of survey elements, the video camera system including a memory device for receiving element records of the master database program from the base computer and for storing video images captured by the video camera system with an appropriate identifying name field associated therewith;
- (d) a barcode scanner in communication with the video camera system for scanning a barcode label associated with each of the plurality of survey elements and wherein the barcode labels include a bar pattern representative of the identifying name of the survey element printed thereon; and,
- (e) a barcode interpreting program loaded onto the video camera system for interpreting the barcode pattern, to identify the element name to the video camera system so that the video image of the element can be stored in the memory with the appropriate element name associated therewith.

52. (NEW) The system according to claim 51 wherein the memory device is removable from the video camera system and installable in the base computer for transferring data between the memory device and the base computer.

53. (NEW) The system according to claim 51 wherein the video camera system further comprises:

- (a) a display device; and,

A7
Conc'd

- (b) a processor for driving the display device to display a display layout comprising a field for displaying the identifying name of the selected survey element in response to scanning the barcode associated with the selected survey element and a field for displaying a video image of the selected survey element.

54. (NEW) The system according to claim 51 further comprising:

- (a) a program operating on the base computer for converting elements names to a bar pattern; and,
- (b) a printer associated with the base computer for printing the bar patterns onto labels for associating with survey elements.

55. (NEW) The system according to claim 51 wherein the video camera system further comprises an infrared sensor assembly for providing an electrical signal in response to receiving thermal radiation emitted by each of the plurality of survey elements.
